



## **NAPNAP Position Statement on Building Resilience in Childhood and Adolescence**

The National Association of Pediatric Nurse Practitioners (NAPNAP) recognizes that raising physically and mentally healthy children is the most critical challenge facing American society and culture today. Childhood experiences, both positive and negative, affect the future physical and mental wellbeing of adolescents and adults. Adverse childhood experiences (ACEs) are risk factors for mental illness, diminished academic and social performance, and poor physical health outcomes. Children and adolescents with resilience adapt in the face of adversity. Building resilience in childhood and adolescence should be an integral component of health care provided by pediatric-focused advanced practice registered nurses (APRNs) and other health care providers.

ACEs are negative experiences that represent a deviation from the expected childhood environment and require adaptation by a child (McLaughlin, 2016). Toxic stress and trauma are terms that are related to ACEs and are often used interchangeably (McLaughlin). Toxic stress refers to the physiological stress response and the disruption in brain development which lead to changes in learning (language, cognition, and socioemotional skills), behavior (adaptive or maladaptive responses), and physiology (an overactive or chronic stress response (Shonkoff & Garner, 2012). Trauma can be an actual or perceived threat to death, injury, or violence (McLaughlin), and can be experienced directly during childhood, or indirectly by witnessing or learning of such events at home, school, and in the community.

Multiple ACEs or co-occurrences increase the risk for poor physical and mental health outcomes, and the effects are cumulative (Hughes et al., 2017; Liming & Grube, 2018). In a review of multiple ACEs, individuals with at least four ACEs were at increased risk for physical inactivity, obesity or being overweight, diabetes, cancer, heart and respiratory disease, mental illness, risky sexual behaviors, smoking, alcohol and drug use, poor self-rated health, and interpersonal and self-directed violence (Hughes et al.). Children who experience adversity are at risk for poor outcomes; however, protective factors such as positive early experiences, support from adults, and the development of adaptive skills compensate for adversity and strengthen resilience (Center on the Developing Child at Harvard University, 2016).

Early childhood experiences, both positive and negative, affect brain development or neurodevelopment (Center on the Developing Child at Harvard University, 2016). Neuroplasticity, the brain's ability to change over time, has been shown to improve resiliency through self-regulation skills and decrease the negative effects of stress and trauma (van der Kolk, 2014). Neurodevelopment results from complex epigenetic traits, which include many different risk and protective genetic variations that are further modified by interactions with the environment (Kiser, Rivero, & Lesch, 2015). Early experiences with adversity affect future responses to stress by altering the developing brain. Fortunately, it is hypothesized that external and internal child factors can protect from negative consequences to neurodevelopment (Shonkoff & Garner, 2012). Normalization of brain functioning has been observed when interventions that address adverse experiences occur early (Fine & Sung, 2014).

Adversity, adverse situations or events are precursors to the development of resilience (Caldeira & Timmins, 2016). ACEs include but are not limited to childhood physical, emotional, psychological, or

verbal abuse; sexual abuse; household substance abuse; household mental illness; exposure to domestic violence; parental separation or divorce; household criminality; neglect; family financial problems or conflict; bullying; death of parent, close relative, or friend; separation from family; and serious childhood illness or injury (Hughes et al., 2017; Liming & Grube, 2018). Neglect may apply to children in multiple foster or group homes; the adversity is absence of a supportive environment (Hughes et al.). Trauma, poverty, natural disasters, and war are also adversities or risk factors for ACEs (Liming & Grube; Masten, Narayan, Silverman, & Osofsky, 2015). Migrant children may be exposed to ACEs that include war, violence, hunger, insecure or inadequate housing and food insecurity, social isolation, inadequate access to healthcare and education, uncertain legal status, and socio-economic deprivation that affects their health and well-being (International Society for Social Pediatrics and Child Health [ISSOP] Migration Working Group, 2018).

Resilience is a dynamic, evolving process that continues throughout the lifespan, rather than an outcome of adverse experiences. Resilience is the ability of a system to adapt successfully to challenges that threaten function, survival, or development (Masten, 2018). The adaptive process is influenced by personal characteristics and family and social resources. Masten presents a 'list' of factors that strengthen resilience: 1) caring family and sensitive caregiving, 2) close relationships, emotional security, and belonging, 3) skilled parenting, 4) agency and motivation to adapt, 5) problem-solving, planning, and executive function skills, 6) self-regulation skills and emotional regulation, 7) self-efficacy and positive view of the self or identity, 8) hope, faith, and optimism, 9) meaning-making and belief life has meaning, 10) routines and rituals, 11) engagement in a well-functioning school, and finally, 12) connections with well-functioning communities that are substantiated by other authors (Caldeira & Timmins, 2016; Center on the Developing Child at Harvard University, 2016; McLaughlin, 2016; Shonkoff & Garner, 2012).

Key strategies for building resilience are decreasing risks and ACEs, enhancing or increasing protective factors, and facilitating the child and adolescent's adaptation to childhood experiences. Pediatric focused APRNs must assess and address the various ACEs that can occur in children's lives to improve physical and mental health across the lifespan (Center on the Developing Child at Harvard University, 2016; Hughes et al., 2017; Liming & Grube, 2018). APRNs must also support the children and their families in positive childhood development, support effective parenting or caregiving, and enhance the child's development of adaptive skills to build resilience.

Building resilience should be an integral component of pediatric health care. NAPNAP recognizes the need for pediatric-focused APRNs and other pediatric health care providers to:

- Assess children for ACEs that includes screening for risk factors that include developmental milestones, family and peer relationships, parent and caregiver mental health, and social determinants of health
- Promote protective factors, diminish risk factors, and enhance adaptation in children and adolescents to promote positive childhood development
- Enhance parent and caregiver skills that support positive parenting, including nurturing, belonging, role modeling, stress management, and family management
- Promote programs in schools and the community that reduce exposure to ACEs, and encourage adaptation, problem-solving, and emotional skill-building in children and adolescents
- Promote health care policy and research directed towards building resilience in childhood and adolescence, integration of behavioral health with primary care, and advocacy for child health policies for unique and vulnerable populations

In summary, NAPNAP, an organization whose mission is to empower PNPs, pediatric-focused APRNs, and other health care providers to enhance child health through leadership, advocacy, professional practice, education, and research, acknowledges the importance of building resilience in childhood and adolescence. Research substantiates the effects of ACEs, and the ability to adapt from these events through the process of resilience (Caldeira & Timmins, 2016; Fine & Sung, 2014; Hughes et al., 2017; Liming & Grube, 2018; McLaughlin, 2016; Shonkoff & Garner, 2012). NAPNAP strongly supports the role of the APRN in building resilience in childhood and adolescence that continues across the lifespan.

## References

- Caldeira, S., & Timmins, F. (2016). Resilience: synthesis of concept analyses and contribution to nursing classifications. *International Nursing Review*, 63(2), 191–199. <https://doi-org.ezproxy.gsu.edu/10.1111/inr.12268>
- Center on the Developing Child at Harvard University. (2016). From Best Practices to Breakthrough Impacts: A Science-Based Approach to Building a More Promising Future for Young Children and Families. Retrieved from <https://developingchild.harvard.edu/resources/from-best-practices-to-breakthrough-impacts/>
- Fine, J. G., & Sung, C. (2014). Neuroscience of child and adolescent health development. *Journal of Counseling Psychology*, 61(4), 521–527. <https://doi-org.ezproxy.gsu.edu/10.1037/cou0000033>
- Hughes, K., Bellis, M. A., Hardcastle, K. A., Sethi, D., Butchart, A., Mikton, C., ... Dunne, M. P. (2017). The effect of multiple adverse childhood experiences on health: a systematic review and meta-analysis. *The Lancet Public Health*, 2(8), e356–e366. [https://doi-org.ezproxy.gsu.edu/10.1016/S2468-2667\(17\)30118-4](https://doi-org.ezproxy.gsu.edu/10.1016/S2468-2667(17)30118-4)
- International Society for Social Pediatrics and Child Health [ISSOP] Migration Working Group (2018). ISSOP position statement on migrant child health. *Child: Care, Health & Development*, 44(1), 161–170. <https://doi-org.ezproxy.gsu.edu/10.1111/cch.12485>
- Kiser, D. P., Rivero, O., & Lesch, K.P. (2015). Annual research review: The (epi)genetics of neurodevelopmental disorders in the era of whole-genome sequencing--unveiling the dark matter. *Journal of Child Psychology and Psychiatry, and Allied Disciplines*, 56(3), 278–295. <https://doi-org.ezproxy.gsu.edu/10.1111/jcpp.12392>
- Liming, K. W., & Grube, W. A. (2018). Wellbeing Outcomes for Children Exposed to Multiple Adverse Experiences in Early Childhood: A Systematic Review. *Child & Adolescent Social Work Journal*, 35(4), 317–335. <https://doi.org/10.1007/s10560-018-0532-x>
- Masten, A. S. (2018). Resilience theory and research on children and families: Past, present, and promise. *Journal of Family Theory & Review*, 10, 12-31. <https://doi.org/10.1111/jftr.12255>
- Masten, A. S., Narayan, A. J., Silverman, W. K., & Osofsky, J. D. (2015). Children in war and disaster. In R. Lerner (Ed.), M. Bornstein & T. Leventhal (Vol. Eds.), *Handbook of child psychology and developmental science: Ecological settings and processes in developmental systems* (7th ed., Vol. 4, pp. 704–745). New York, NY: Wiley.

McLaughlin, K. A. (2016). Future directions in childhood adversity and youth psychopathology. *Journal of Clinical Child and Adolescent Psychology*, 45(3), 361–382.

<https://doi-org.ezproxy.gsu.edu/10.1080/15374416.2015.1110823>

Shonkoff, J. P., & Garner, A. S. (2012). The lifelong effects of early childhood adversity and toxic stress.

*Pediatrics*, 129(1), e232–e246. <https://doi-org.ezproxy.gsu.edu/10.1542/peds.2011-2663>

van der Kolk, B. (2014). *The body keeps the score*. New York, New York: Penguin Books.

### **Acknowledgements**

The National Association of Pediatric Nurse Practitioners would like to acknowledge the following members for their contribution to this statement.

Regena Spratling, PhD, RN, APRN, CPNP

Nancy Cavanaugh, CPNP-PC

Anne Derouin, DNP, APRN, CPNP, FAANP

Mary Dirks, DNP, ARNP, CPNP-PC, FAANP

Laura Searcy, MN, APRN, PPCNP-BC

Adopted by the National Association of Pediatric Nurse Practitioners' Executive Board on May 14, 2019.

Copyright © 2019 by the National Association of Pediatric Nurse Practitioners. Published by Elsevier Inc. All rights reserved.

*All regular position statements from the National Association of Pediatric Nurse Practitioners automatically expire 5 years after publication unless reaffirmed, revised, or retired at or before that time.*